Author Index Volume 34

Asashima, M., Uchiyama, H., Nakano, H., Eto, Y., Ejima, D., Sugino, H., Davids, M., Plessow, S., Born, J., Hoppe, P., Tiedemann, H. and Tiedemann, H.

The vegetalizing factor from chicken embryos: its EDF (activin A)-like activity (34) 135

Beato, M., see Sandmöller, A. (34) 57

Bell, J., see Zhao, A.Z. (34) 21

Billin, A.N., Cockerill, K.A. and Poole, S.J.

Isolation of a family of *Drosophila* POU domain genes expressed in early development (34) 75

Born, J., see Asashima, M. (34) 135

Chamblin, C., see Trent, C. (34) 43

Cockerill, K.A., see Billin, A.N. (34) 75

Coelho, C.N.D., Sumoy, L., Rodgers, B.J., Davidson, D.R., Hill, R.E., Upholt, W.B. and Kosher, R.A.

Expression of the chicken homeobox-containing gene GHox-8 during embryonic chick limb development (34) 143

Cohen, S.M., see Simcox, A.A. (34) 11

Davids, M., see Asashima, M. (34) 135 Davidson, D.R., see Coelho, C.N.D. (34) 143 De Laaf, L., see Opstelten, D.-J.E. (34) 29 Deschamps, J., see Opstelten, D.-J.E. (34) 29 Destrée, O.H., see Opstelten, D.-J.E. (34) 29

Ejima, D., see Asashima, M. (34) 135 Epstein, A., see Mohler, J. (34) 3 Eto, Y., see Asashima, M. (34) 135

Doskow, J., see Sasaki, A.W. (34) 155

Fortini, M.E., Lai, Z. and Rubin, G.M.

The *Drosophila zfh-1* and *zfh-2* genes encode novel proteins containing both zinc-finger and homeodomain motifs (34) 113 Fortini, M.E., see Lai, Z. (34) 123

Gavinski, S., see Trent, C. (34) 43 Gudas, L.J., see Sasaki, A.W. (34) 155

Hageman, J., see Trent, C. (34) 43 Hahn, J., see Sandmöller, A. (34) 57 Hersperger, E., see Simcox, A.A. (34) 11 Hill, R.E., see Coelho, C.N.D. (34) 143 Hoppe, P., see Asashima, M. (34) 135 Humphreys, T., see Zhao, A.Z. (34) 21

Kalkhoven, E., see Opstelten, D.-J.E. (34) 29

Intracellular sperm/egg interactions in *Drosophila*: A three-dimensional structural analysis of a paternal product in the developing egg (34) 101

Kosher, R.A., see Coelho, C.N.D. (34) 143

Lai, Z., Fortini, M.E. and Rubin, G.M.

The embryonic expression patterns of *zfh-1* and *zfh-2*, two *Drosophila* genes encoding novel zinc-finger homeodomain proteins (34) 123

Lai, Z., see Fortini, M.E. (34) 113

Lawson, K.A., see Opstelten, D.-J.E. (34) 29 Leung, S., see Mohler, J. (34) 3

MacLeod, C.L., see Sasaki, A.W. (34) 155
Maxson, R., see Zhao, A.Z. (34) 21
Meijlink, F., see Opstelten, D.-J.E. (34) 29
Mohler, J., Vani, K., Leung, S. and Epstein, A.
Segmentally restricted, cephalic expression of a leucine zipper gene during Drosophila embryogenesis (34) 3

Nakano, H., see Asashima, M. (34) 135

Opstelten, D.-J.E., Vogels, R., Robert, B., Kalkhoven, E., Zwartkruis, F., De Laaf, L., Destrée, O.H., Deschamps, J., Lawson, K.A. and Meijlink, F.

The mouse homeobox gene, S8, is expressed during embryogenesis predominantly in mesenchyme (34) 29

Plessow, S., see Asashima, M. (34) 135 Poole, S.J., see Billin, A.N. (34) 75 Purnell, B., see Trent, C. (34) 43

Redemann-Fibi, B., see Sandmöller, A. (34) 57 Robert, B., see Opstelten, D.-J.E. (34) 29 Rodgers, B.J., see Coelho, C.N.D. (34) 143 Rogers, M.B., see Sasaki, A.W. (34) 155 Rubin, G.M., see Fortini, M.E. (34) 113 Rubin, G.M., see Lai, Z. (34) 123

Sandmöller, A., Voss, A.K., Hahn, J., Redemann-Fibi, B., Suske, G. and Beato, M.

Cell-specific, developmentally and hormonally regulated expression of the rabbit uteroglobin transgene and the endogenous mouse uteroglobin gene in transgenic mice (34) 57

Sasaki, A.W., Doskow, J., MacLeod, C.L., Rogers, M.B., Gudas, L.J. and Wilkinson, M.F.

The oncofetal gene *Pem* encodes a homeodomain and is regulated in primordial and pre-muscle stem cells (34) 155 Schnabel, R.

Cellular interactions involved in the determination of the early C. elegans embryo (34) 85

Shearn, A., see Simcox, A.A. (34) 11

Simcox, A.A., Hersperger, E., Shearn, A., Whittle, J.R.S. and Cohen, S.M.

Establishment of imaginal discs and histoblast nests in *Drosophila* (34) 11

Sugino, H., see Asashima, M. (34) 135 Sumoy, L., see Coelho, C.N.D. (34) 143 Suske, G., see Sandmöller, A. (34) 57

Tiedemann, H., see Asashima, M. (34) 135 Tiedemann, H., see Asashima, M. (34) 135

Trent, C., Purnell, B., Gavinski, S., Hageman, J., Chamblin, C. and Wood, W.B.

Sex-specific transcriptional regulation of the *C. elegans* sex-determining gene *her-1* (34) 43

Uchiyama, H., see Asashima, M. (34) 135 Upholt, W.B., see Coelho, C.N.D. (34) 143 Vani, K., see Mohler, J. (34) 3 Vansant, G., see Zhao, A.Z. (34) 21 Vogels, R., see Opstelten, D.-J.E. (34) 29 Voss, A.K., see Sandmöller, A. (34) 57

Whittle, J.R.S., see Simcox, A.A. (34) 11 Wilkinson, M.F., see Sasaki, A.W. (34) 155

Wood, W.B., see Trent, C. (34) 43

 Zhao, A.Z., Vansant, G., Bell, J., Humphreys, T. and Maxson, R.
 Activation of the L1 late H2B histone gene in blastula-stage sea urchin embryos by an *Antennapedia*-class homeoprotein (34) 21
 Zwartkruis, F., see Opstelten, D.-J.E. (34) 29

Subject Index Volume 34

Activin

Vegetalizing factor; Mesoderm and endoderm induction in amphibian; EDF (erythroid differentiation factor)-activity (Asashima, M. (34) 135)

ANT-C

Drosophila; Imaginal disc; Histoblast nest; BX-C; Polycomb; Distalless (Simcox, A.A. (34) 11)

Apical ectodermal ridge

Homeobox-containing gene; Limb development (chick); Pattern formation; Zone of polarizing activity; Programmed cell death; Hox-8 (Coelho, C.N.D. (34) 143)

RX.C

Drosophila; Imaginal disc; Histoblast nest; ANT-C; Polycomb; Distal-less (Simcox, A.A. (34) 11)

C. elegans

Sex determination gene; Sex-specific transcription (Trent, C. (34) 43)

Early determination; Early interaction; Laser irradiation; Lineage analysis (Schnabel, R. (34) 85)

Cell-specificity

Uteroglobin; Temporal specificity; Progesterone induction; Transgenic mice (Sandmöller, A. (34) 57)

Cephalic patterning

bZIP protein; Leucine-zipper; Segmentation gene; Drosophila embryogenesis (Mohler, J. (34) 3)

Connective tissue

Homeobox gene; In situ hybridization; Mesenchyme; Mouse chromosome-2 (Opstelten, D.-J.E. (34) 29)

Development

Drosophila; POU domain; Segmentation; Homeobox (Billin, A.N. (34) 75)

Distal_less

Drosophila; Imaginal disc; Histoblast nest; ANT-C; BX-C; Polycomb (Simcox, A.A. (34) 11)

Drosophila

Imaginal disc; Histoblast nest; ANT-C; BX-C; Polycomb; Distal-less (Simcox, A.A. (34) 11)

Drosonhila

Development; POU domain; Segmentation; Homeobox (Billin, A.N. (34) 75)

Drosophila

Fertilization; Embryogenesis (Karr, T.L. (34) 101)

Drosophila embryogenesis

bZIP protein; Leucine-zipper; Segmentation gene; Cephalic patterning (Mohler, J. (34) 3)

Drosophila melanogaster

Transcription factor; Multiple DNA-binding domains; Zinc finger; Homeodomain (Fortini, M.E. (34) 113)

Transcription factor; Embryonic development; Neurogenesis; Mesoderm differentiation; Ectopic expression (Lai, Z. (34) 123)

Early determination

C. elegans; Early interaction; Laser irradiation; Lineage analysis (Schnabel, R. (34) 85)

Early interaction

C. elegans; Early determination; Laser irradiation; Lineage analysis (Schnabel, R. (34) 85)

Ectopic expression

Transcription factor; Embryonic development; Neurogenesis; Mesoderm differentiation; *Drosophila melanogaster* (Lai, Z. (34) 123)

EDF (erythroid differentiation factor)-activity

Vegetalizing factor; Mesoderm and endoderm induction in amphibian; Activin (Asashima, M. (34) 135)

Embryogenesis

Drosophila; Fertilization (Karr, T.L. (34) 101)

Embryonal stem cell

Oncofetal; Homeobox; Muscle development (Sasaki, A.W. (34) 155)

Embryonic development

Transcription factor; Neurogenesis; Mesoderm differentiation; Ectopic expression; *Drosophila melanogaster* (Lai, Z. (34) 123)

Fertilization

Drosophila; Embryogenesis (Karr, T.L. (34) 101)

Histoblast nest

Drosophila; Imaginal disc; ANT-C; BX-C; Polycomb; Distal-less (Simcox, A.A. (34) 11)

Homeobox

Drosophila; Development; POU domain; Segmentation (Billin, A.N. (34) 75)

Oncofetal; Embryonal stem cell; Muscle development (Sasaki, A.W. (34) 155)

Homeobox-containing gene

Limb development (chick); Pattern formation; Apical ectodermal ridge; Zone of polarizing activity; Programmed cell death; Hox-8 (Coelho, C.N.D. (34) 143)

Homeobox gene

In situ hybridization; Mesenchyme; Connective tissue; Mouse chromosome-2 (Opstelten, D.-J.E. (34) 29)

Homeodomain

Drosophila melanogaster; Transcription factor; Multiple DNA-binding domains; Zinc finger (Fortini, M.E. (34) 113)

Hox-8

Homeobox-containing gene; Limb development (chick); Pattern formation; Apical ectodermal ridge; Zone of polarizing activity; Programmed cell death (Coelho, C.N.D. (34) 143)

Imaginal disc

Drosophila; Histoblast nest; ANT-C; BX-C; Polycomb; Distal-less (Simcox, A.A. (34) 11)

In situ hybridization

Homeobox gene; Mesenchyme; Connective tissue; Mouse chromosome-2 (Opstelten, D.-J.E. (34) 29)

Laser irradiation

C. elegans; Early determination; Early interaction; Lineage analysis (Schnabel, R. (34) 85)

Leucine-zipper

bZIP protein; Segmentation gene; Cephalic patterning; Drosophila embryogenesis (Mohler, J. (34) 3)

Limb development (chick)

Homeobox-containing gene; Pattern formation; Apical ectodermal ridge; Zone of polarizing activity; Programmed cell death; Hox-8 (Coelho, C.N.D. (34) 143)

Lineage analysis

C. elegans; Early determination; Early interaction; Laser irradiation (Schnabel, R. (34) 85)

Mesenchyme

Homeobox gene; In situ hybridization; Connective tissue; Mouse chromosome-2 (Opstelten, D.-J.E. (34) 29)

Mesoderm and endoderm induction in amphibian

Vegetalizing factor; EDF (erythroid differentiation factor)-activity; Activin (Asashima, M. (34) 135)

Mesoderm differentiation

Transcription factor; Embryonic development; Neurogenesis; Ectopic expression; *Drosophila melanogaster* (Lai, Z. (34) 123)

Mouse chromosome-2

Homeobox gene; In situ hybridization; Mesenchyme; Connective tissue (Opstelten, D.-J.E. (34) 29)

Multiple DNA-binding domains

Drosophila melanogaster; Transcription factor; Zinc finger; Homeodomain (Fortini, M.E. (34) 113)

Muscle development

Oncofetal; Homeobox; Embryonal stem cell (Sasaki, A.W. (34) 155)

Neurogenesis

Transcription factor; Embryonic development; Mesoderm differentiation; Ectopic expression; *Drosophila melanogaster* (Lai, Z. (34) 123)

Oncofeta

Homeobox; Embryonal stem cell; Muscle development (Sasaki, A.W. (34) 155)

Pattern formation

Homeobox-containing gene; Limb development (chick); Apical ectodermal ridge; Zone of polarizing activity; Programmed cell death; Hox-8 (Coelho, C.N.D. (34) 143)

Polycomb

Drosophila; Imaginal disc; Histoblast nest; ANT-C; BX-C; Distal-less (Simcox, A.A. (34) 11)

POU domain

Drosophila; Development; Segmentation; Homeobox (Billin, A.N. (34) 75)

Progesterone induction

Uteroglobin; Cell-specificity; Temporal specificity; Transgenic mice (Sandmöller, A. (34) 57)

Programmed cell death

Homeobox-containing gene; Limb development (chick); Pattern formation; Apical ectodermal ridge; Zone of polarizing activity; Hox-8 (Coelho, C.N.D. (34) 143)

Segmentation

Drosophila; Development; POU domain; Homeobox (Billin, A.N. (34) 75)

Segmentation gene

bZIP protein; Leucine-zipper; Cephalic patterning; Drosophila embryogenesis (Mohler, J. (34) 3)

Sex determination gene

Sex-specific transcription; C. elegans (Trent, C. (34) 43)

Sex-specific transcription

Sex determination gene; C. elegans (Trent, C. (34) 43)

Temporal specificity

Uteroglobin; Cell-specificity; Progesterone induction; Transgenic mice (Sandmöller, A. (34) 57)

Transcription factor

Drosophila melanogaster; Multiple DNA-binding domains; Zinc finger; Homeodomain (Fortini, M.E. (34) 113)

Embryonic development; Neurogenesis; Mesoderm differentiation; Ectopic expression; Drosophila melanogaster (Lai, Z. (34) 123)

Transgenic mice

Uteroglobin; Cell-specificity; Temporal specificity; Progesterone induction (Sandmöller, A. (34) 57)

Uteroglobii

Cell-specificity; Temporal specificity; Progesterone induction; Transgenic mice (Sandmöller, A. (34) 57)

Vegetalizing factor

Mesoderm and endoderm induction in amphibian; EDF (erythroid differentiation factor)-activity; Activin (Asashima, M. (34) 135)

Zinc finger

Drosophila melanogaster; Transcription factor; Multiple DNA-binding domains; Homeodomain (Fortini, M.E. (34) 113)

bZIP protein

Leucine-zipper; Segmentation gene; Cephalic patterning; Drosophila embryogenesis (Mohler, J. (34) 3)

Zone of polarizing activity

Homeobox-containing gene; Limb development (chick); Pattern formation; Apical ectodermal ridge; Programmed cell death; Hox-8 (Coelho, C.N.D. (34) 143)

